Contents

Volume 108 1990

	Wilson, S. W., Ross, L. S., Parrett, T.	
1	The development of a simple scaffold of axon	
	Brachydanio rerio	121
19	Taylor, J. S. H. The directed growth of retinal axons towards surgically transposed tecta in <i>Xenopus</i> ; an examination of homing behaviour by retinal ganglion cell axons	147
33	Hill, D. P. and Strome, S. Brief cytochalasin-induced disruption of microfilaments during a critical interval in 1-cell <i>C. elegans</i> embryos alters the partitioning of developmental instructions to the 2-cell embryo	159
47	Green, J. B. A., Howes, G., Symes, K., Cooke, J. and Smith, J. C. The biological effects of XTC-MIF: quantitative comparison with <i>Xenopus</i> bFGF	173
	Verrinder Gibbins, A. M. and Etches, R. J. Production of somatic and germline chimaeras in the chicken by transfer of early blastodermal cells	185
59 73	Doubrava, N., Toubart, P., Gollin, D. J., Gruber, T. A., Nuri, W., Albersheim, P. and Darvill, A. The control of root, vegetative shoot and flower morphogenesis in tobacco thin cell-layer explants	191
83	Fundele, R. H., Norris, M. L., Barton, S. C.,	
97	and Surani, M. A. Temporal and spatial selection against parthenogenetic cells during development of fetal chimeras	203
107	Morris-Kay, G. and Chambon, P. Specific spatial and temporal distribution of retinoic acid receptor gamma transcripts during mouse embryogenesis	213
	19 33 47 59 73 83	and Easter, S. S. The development of a simple scaffold of axon tracts in the brain of the embryonic zebrafish, Brachydanio rerio Taylor, J. S. H. The directed growth of retinal axons towards surgically transposed tecta in Xenopus; an examination of homing behaviour by retinal ganglion cell axons Hill, D. P. and Strome, S. Brief cytochalasin-induced disruption of microfilaments during a critical interval in 1-cell C. elegans embryos alters the partitioning of developmental instructions to the 2-cell embryo Green, J. B. A., Howes, G., Symes, K., Cooke, J. and Smith, J. C. The biological effects of XTC-MIF: quantitative comparison with Xenopus bFGF Petitte, J. N., Clark, M. E., Liu, G., Verrinder Gibbins, A. M. and Etches, R. J. Production of somatic and germline chimaeras in the chicken by transfer of early blastodermal cells Mohnen, D., Eberhard, S., Marfa, V., Doubrava, N., Toubart, P., Gollin, D. J., Gruber, T. A., Nuri, W., Albersheim, P. and Darvill, A. The control of root, vegetative shoot and flower morphogenesis in tobacco thin cell-layer explants (TCLs) Fundele, R. H., Norris, M. L., Barton, S. C., Fehlau, M., Howlett, S. K., Mills, W. E. and Surani, M. A. Temporal and spatial selection against parthenogenetic cells during development of fetal chimeras Ruberte, E., Dollé, P., Krust, A., Zelent, A., Morris-Kay, G. and Chambon, P. Specific spatial and temporal distribution of retinoic acid receptor gamma transcripts during

Smith, J. C., Symes, K., Hynes, R. O. and DeSimone, D. Mesoderm induction and the control of gastrulation in <i>Xenopus laevis</i> : the roles of fibronectin and integrins Soussi-Yanicostas, N., Barbet, J. P., Laurent-Winter, C., Barton, P. and Butler-Browne, G. S. Transition of myosin isozymes during development of human masseter muscle. Persistence of developmental isoforms during postnatal stage Casal, J., Gonzalez, F., Wandosell, F., Avila, J. and Ripoll, P. Abnormal meiotic spindles cause a cascade of defects during spermatogenesis in asp males of <i>Drosophila</i> Kress, H., Lucka, L., Swida, U., Thüroff, E. and Klemm, U. Swida, U., Lucka, L. and Kress, H. Glue protein genes in <i>Drosophila virilis</i> : their organization, developmental control of transcription and specific mRNA degradation McMahon, A. P., Champion, J. E., McMahon, J. A. and Sukhatme, V. P. Developmental expression of the putative transcription Egr-I suggests that Egr-I and c-fos are coregulated in some tissues Yisraeli, J. K., Sokol, S. and Melton, D. A. A two-step model for the localization of maternal mRNA in <i>Xenopus</i> ocytes: Involvement of microtubules and microfilaments in the translocation and anchoring of Vg1 mRNA Bastmeyer, M., Schlosshauer, B. and Stuermer, C. A. O. The spatiotemporal distribution of N-CAM in the retinotectal pathway of adult goldfish detected by the monoclonal antibody D3 Garrod, D. R. and Fleming, S. Early expression of desmosomal components during kindey tubule morphogenesis in human	Tanaka, S., Yamamoto, H., Takeuchi, S. and Takeuchi, T. Melanization in albino mice transformed by introducing aland mayor transformed by	223	DeLorenzi, M. and Bienz, M. Expression of <i>Abdominal-B</i> homeoproteins in <i>Drosophila</i> embryos	323
gastrulation in Xenopus laevis: the roles of fibronectin and integrins Soussi-Vanicostas, N., Barbet, J. P., Laurent-Winter, C., Barton, P. and Butler-Browne, G. S. Transition of myosin isozymes during development of human masseter muscle. Persistence of developmental isoforms during postnatal stage Casal, J., Gonzalez, F., Wandosell, F., Avila, J. and Ripoll, P. Abnormal meiotic spindles cause a cascade of defects during spermatogenesis in asp males of Drosophila virilis polytene chromosomes are differentially transcribed during larval development Gense from two intermoult puffs in Drosophila virilis polytene chromosomes are differentially transcription and specific mRNA degradation McMahon, A. P., Champion, J. E., McMahon, J. A. and Sukhatme, V. P. Developmental expression of the putative transcription Egr-1 suggests that Egr-1 and c-fos are coregulated in some tissues Yisraeli, J. K., Sokol, S. and Melton, D. A. A two-step model for the localization of maternal mRNA in Xenopus soocytes: Involvement of microtubules and microfilaments in the translocation and anchoring of Vgl mRNA Bastmeyer, M., Schlosshauer, B. and Stuermer, C. A. O. The spatiotemporal distribution of N-CAM in the retinotectal pathway of adult goldfish detected by the monoclonal antibody D3 Garrod, D. R. and Fleming, S. Early vexpression of desmosomal components during kindey tubule morphogenesis in human	Smith, J. C., Symes, K., Hynes, R. O. and DeSimone, D.	ka ka S	Developmental expression of antioxidant enzymes	331
Winter, C., Barton, P. and Butler-Browne, G. S. Transition of myosin isozymes during development of human masseter musele. Persistence of developmental isoforms during postnatal stage Casal, J., Gonzalez, F., Wandosell, F., Avila, J. and Ripoll, P. Abnormal meiotic spindles cause a cascade of defects during spermatogenesis in asp males of Derosophila Kress, H., Lucka, L., Swida, U., Thüroff, E. and Klemm, U. Genes from two intermoult puffs in Drosophila virilis: polytene chromosomes are differentially transcribed during larval development Swida, U., Lucka, L. and Kress, H. Glue protein genes in Drosophila virilis: their organization, developmental control of transcription and specific mRNA degradation McMahon, A. P., Champion, J. E., McMahon, J. A. and Sukhatme, V. P. Developmental expression of the putative transcription Egr-1 suggests that Egr-1 and c-fos are coregulated in some tissues 281 Wisraeli, J. K., Sokol, S. and Melton, D. A. A two-step model for the localization of maternal mRNA in Xenopus oocytes: Involvement of microtubules and microfilaments in the translocation and anchoring of Vgl mRNA Bastmeyer, M., Schlosshauer, B. and Stuermer, C. A. O. The spatiotemporal distribution of N-CAM in the retinotectal pathway of adult goldfish detected by the monoclonal antibody D3 Garrod, D. R. and Fleming, S. Early two deptimal gene Tabby (Ta) on eyelid opening and incisor eruption in neonatal mice is opposite to that of epidermal growin factor 349 Godin, L., Wylie, C. C. and Heasman, J. Genital ridges exert long-range effects on mouse primordial germ cell numbers and direction of migration in culture 251 ESSAY IN DEVELOPMENT Davidson, E. H. How embryos work: a comparative view of diverse modes of cell fate specification 365 CONTRIBUTED PAPERS Zusman, S., Patel-King, R. S., french-Constant, C. and Hynes, R. O. Requirements for integrins during prosophila development 391 Livingston, B. T. and Wilt, F. H. Range and stability of cell fate determination in isolated sea urchin blastomeres 403 A	gastrulation in Xenopus laevis: the roles of	229	Winking, H. and Illmensee, K. Nuclear transfer from teratocarcinoma cells into	227
Gasal, J., Gonzalez, F., Wandosell, F., Avila, J. and Ripoll, P. Abnormal meiotic spindles cause a cascade of defects during spermatogenesis in asp males of Drosophila Kress, H., Lucka, L., Swida, U., Thüroff, E. and Klemm, U. Genes from two intermoult puffs in Drosophila virilis polytene chromosomes are differentially transcribed during larval development Swida, U., Lucka, L. and Kress, H. Glue protein genes in Drosophila virilis: their organization, developmental control of transcription and specific mRNA degradation McMahon, A. P., Champion, J. E., McMahon, J. A. and Sukhatme, V. P. Developmental expression of the putative transcription Egr-1 suggests that Egr-1 and c-fos are coregulated in some tissues Yisraeli, J. K., Sokol, S. and Melton, D. A. A two-step model for the localization of maternal mRNA in Xenopus oocytes: Involvement of microtubules and microfilaments in the translocation and anchoring of Vg1 mRNA Bastmeyer, M., Schlosshauer, B. and Stuermer, C. A. O. Bastmeyer, M., Schlosshauer, B. and Stuermer, C. A. O. Garrod, D. R. and Fleming, S. Early expression of desmosomal components during kidney tubule morphogenesis in human Genital ridges exert long-range effects on mouse primordial germ cell numbers and direction of migration in culture 251 ESSAY IN DEVELOPMENT Davidson, E. H. How embryos work: a comparative view of diverse modes of cell fate specification 365 CONTRIBUTED PAPERS Zusman, S., Patel-King, R. S., ffrench-Constant, C. and Hynes, R. O. Requirements for integrins during Drosophila development is subregions, B. T. and Wilt, F. H. Range and stability of cell fate determination in isolated sea urchin blastomeres Awgulewitsch, A. and Jacobs, D. Differential expression of Hox 3.1 protein in subregions of the embryonic and adult spinal cord 411 Duband, Dr JL. and Thiery, Dr J. P. Spatial and temporal distribution of vinculin and talin in migrating avian neural crest cells and their derivatives 4289 Puschel, A. W., Balling, R. and Gruss, P. Position-specific activity of t	Winter, C., Barton, P. and Butler-Browne, G. S. Transition of myosin isozymes during development of human masseter muscle. Persistence of developmental isoforms during	239	Kapalanga, J. and Blecher, S. R. Effect of the X-linked gene <i>Tabby (Ta)</i> on eyelid opening and incisor eruption in neonatal mice is	349
Swida, L., Swida, U., Thüroff, E. and Klemm, U. Genes from two intermoult puffs in Drosophila virilis polytene chromosomes are differentially transcribed during larval development	and Ripoll, P. Abnormal meiotic spindles cause a cascade of		Genital ridges exert long-range effects on mouse primordial germ cell numbers and direction of	357
diverse modes of cell fate specification 365 Swida, U., Lucka, L. and Kress, H. Glue protein genes in Drosophila virilis: their organization, developmental control of transcription and specific mRNA degradation McMahon, A. P., Champion, J. E., McMahon, J. A. and Sukhatme, V. P. Developmental expression of the putative transcription Egr-1 suggests that Egr-1 and c-fos are coregulated in some tissues Yisraeli, J. K., Sokol, S. and Melton, D. A. A two-step model for the localization of maternal mRNA in Xenopus oocytes: Involvement of microtubules and microfilaments in the translocation and anchoring of Vgl mRNA Bastmeyer, M., Schlosshauer, B. and Stuermer, C. A. O. The spatiotemporal distribution of N-CAM in the retinotectal pathway of adult goldfish detected by the monoclonal antibody D3 Garrod, D. R. and Fleming, S. Early expression of desmosomal components during kidney tubule morphogenesis in human diverse modes of cell fate specification 365 CONTRIBUTED PAPERS Zusman, S., Patel-King, R. S., ffrench-Constant, C. and Hynes, R. O. Requirements for integrins during Drosophila development 391 Livingston, B. T. and Wilt, F. H. Range and stability of cell fate determination in isolated sea urchin blastomeres 403 Awgulewitsch, A. and Jacobs, D. Differential expression of Hox 3.1 protein in subregions of the embryonic and adult spinal cord 411 Duband, Dr JL. and Thiery, Dr J. P. Spatial and temporal distribution of vinculin and talin in migrating avian neural crest cells and their derivatives 421 Puschel, A. W., Balling, R. and Gruss, P. Position-specific activity of the Hox1.1 promoter in transgenic mice 435 Mutations affecting skeletal muscle myofibril structure in the zebrafish 443 Sater, A. K. and Jacobson, A. G. The role of the dorsal lip in the induction of heart	Drosophila	251	Davidson, E. H.	
Swida, U., Lucka, L. and Kress, H. Glue protein genes in Drosophila virilis: their organization, developmental control of transcription and specific mRNA degradation McMahon, A. P., Champion, J. E., McMahon, J. A. and Sukhatme, V. P. Developmental expression of the putative transcription Egr-1 suggests that Egr-1 and c-fos are coregulated in some tissues Yisraeli, J. K., Sokol, S. and Melton, D. A. A two-step model for the localization of maternal mRNA in Xenopus occytes: Involvement of microtubules and microfilaments in the translocation and anchoring of Vg1 mRNA Bastmeyer, M., Schlosshauer, B. and Stuermer, C. A. O. The spatiotemporal distribution of N-CAM in the retinotectal pathway of adult goldfish detected by the monoclonal antibody D3 Garrod, D. R. and Fleming, S. Early expression of desmosomal components during kidney tubule morphogenesis in human	and Klemm, U. Genes from two intermoult puffs in <i>Drosophila</i>		diverse modes of cell fate specification	365
transcription and specific mRNA degradation McMahon, A. P., Champion, J. E., McMahon, J. A. and Sukhatme, V. P. Developmental expression of the putative transcription Egr-1 suggests that Egr-1 and c-fos are coregulated in some tissues Visraeli, J. K., Sokol, S. and Melton, D. A. A two-step model for the localization of maternal mRNA in Xenopus oocytes: Involvement of microtubules and microfilaments in the translocation and anchoring of Vg1 mRNA Bastmeyer, M., Schlosshauer, B. and Stuermer, C. A. O. The spatiotemporal distribution of N-CAM in the retinotectal pathway of adult goldfish detected by the monoclonal antibody D3 Garrod, D. R. and Fleming, S. Early expression of desmosomal components during kidney tubule morphogenesis in human	transcribed during larval development Swida, U., Lucka, L. and Kress, H.	261	Zusman, S., Patel-King, R. S., ffrench-Constant, C. and Hynes, R. O.	
McMahon, A. P., Champion, J. E., McMahon, J. A. and Sukhatme, V. P. Developmental expression of the putative transcription Egr-1 suggests that Egr-1 and c-fos are coregulated in some tissues 281 Visraeli, J. K., Sokol, S. and Melton, D. A. A two-step model for the localization of maternal mRNA in Xenopus oocytes: Involvement of microtubules and microfilaments in the translocation and anchoring of Vg1 mRNA Bastmeyer, M., Schlosshauer, B. and Stuermer, C. A. O. The spatiotemporal distribution of N-CAM in the retinotectal pathway of adult goldfish detected by the monoclonal antibody D3 Bastmeyer, M., and Fleming, S. Early expression of desmosomal components during kidney tubule morphogenesis in human isolated sea urchin blastomeres 403 Awgulewitsch, A. and Jacobs, D. Differential expression of Hox 3.1 protein in subregions of the embryonic and adult spinal cord 411 Puschel, A. W., Balling, R. and Gruss, P. Position-specific activity of the Hox1.1 promoter in transgenic mice 421 Felsenfeld, A. L., Walker, C., Westerfield, M., Kimmel, C. and Streisinger, G. Mutations affecting skeletal muscle myofibril structure in the zebrafish 443 Sater, A. K. and Jacobson, A. G. The role of the dorsal lip in the induction of heart	organization, developmental control of	269	Livingston, B. T. and Wilt, F. H.	391
transcription Egr-1 suggests that Egr-1 and c-fos are coregulated in some tissues 281 Visraeli, J. K., Sokol, S. and Melton, D. A. A two-step model for the localization of maternal mRNA in Xenopus oocytes: Involvement of microtubules and microfilaments in the translocation and anchoring of Vg1 mRNA Bastmeyer, M., Schlosshauer, B. and Stuermer, C. A. O. The spatiotemporal distribution of N-CAM in the retinotectal pathway of adult goldfish detected by the monoclonal antibody D3 Garrod, D. R. and Fleming, S. Early expression of desmosomal components during kidney tubule morphogenesis in human Duband, Dr JL. and Thiery, Dr J. P. Spatial and temporal distribution of vinculin and talin in migrating avian neural crest cells and their derivatives 421 Puschel, A. W., Balling, R. and Gruss, P. Position-specific activity of the Hox1.1 promoter in transgenic mice Felsenfeld, A. L., Walker, C., Westerfield, M., Kimmel, C. and Streisinger, G. Mutations affecting skeletal muscle myofibril structure in the zebrafish 435 Sater, A. K. and Jacobson, A. G. The role of the dorsal lip in the induction of heart	McMahon, J. A. and Sukhatme, V. P.		isolated sea urchin blastomeres	403
A two-step model for the localization of maternal mRNA in <i>Xenopus</i> oocytes: Involvement of microtubules and microfilaments in the translocation and anchoring of Vg1 mRNA Bastmeyer, M., Schlosshauer, B. and Stuermer, C. A. O. The spatiotemporal distribution of vinculin and talin in migrating avian neural crest cells and their derivatives 421 Puschel, A. W., Balling, R. and Gruss, P. Position-specific activity of the Hox1.1 promoter in transgenic mice in transgenic mice felsenfeld, A. L., Walker, C., Westerfield, M., Kimmel, C. and Streisinger, G. Mutations affecting skeletal muscle myofibril structure in the zebrafish Sater, A. K. and Jacobson, A. G. The role of the dorsal lip in the induction of heart	transcription Egr-1 suggests that Egr-1 and c-fos	281	Differential expression of Hox 3.1 protein in	411
Bastmeyer, M., Schlosshauer, B. and Stuermer, C. A. O. The spatiotemporal distribution of N-CAM in the retinotectal pathway of adult goldfish detected by the monoclonal antibody D3 Garrod, D. R. and Fleming, S. Early expression of desmosomal components during kidney tubule morphogenesis in human Position-specific activity of the Hox1.1 promoter in transgenic mice 435 Felsenfeld, A. L., Walker, C., Westerfield, M., Kimmel, C. and Streisinger, G. Mutations affecting skeletal muscle myofibril structure in the zebrafish Sater, A. K. and Jacobson, A. G. The role of the dorsal lip in the induction of heart	A two-step model for the localization of maternal mRNA in <i>Xenopus</i> oocytes: Involvement of microtubules and microfilaments in the		Spatial and temporal distribution of vinculin and talin in migrating avian neural crest cells and their	421
The spatiotemporal distribution of N-CAM in the retinotectal pathway of adult goldfish detected by the monoclonal antibody D3 Garrod, D. R. and Fleming, S. Early expression of desmosomal components during kidney tubule morphogenesis in human Felsenfeld, A. L., Walker, C., Westerfield, M., Kimmel, C. and Streisinger, G. Mutations affecting skeletal muscle myofibril structure in the zebrafish Sater, A. K. and Jacobson, A. G. The role of the dorsal lip in the induction of heart	Bastmeyer, M., Schlosshauer, B.	289	Position-specific activity of the Hox1.1 promoter	435
Early expression of desmosomal components during kidney tubule morphogenesis in human Sater, A. K. and Jacobson, A. G. The role of the dorsal lip in the induction of heart	The spatiotemporal distribution of N-CAM in the retinotectal pathway of adult goldfish detected by the monoclonal antibody D3		Kimmel, C. and Streisinger, G. Mutations affecting skeletal muscle myofibril	443
	Early expression of desmosomal components	313		t 461

Oudejans, C. B. M., Pannese, M., Simeone, A., Meijer, C. J. L. M. and Boncinelli, E.		Serbedzija, G. N., Fraser, S. E. and Bronner-Fraser, M.	
The three most downstream genes of the Hox-3 cluster are expressed in human extraembryonic tissues including trophoblast of androgenetic origin	471	Pathways of trunk neural crest cell migration in the mouse embryo as revealed by vital dye labelling	605
	7/1	Schulz, R. A., Miksch, J. L., Xie, X.,	
Griffith, C. M. and Wiley, M. J. Sialoconjugates and development of the tail bud	479	Cornish, J. A. and Galewsky, S.	
	4/7	Expression of the <i>Drosophila gonadal</i> gene:	
Spaventi, R., Antica, M. and Pabelić, K. Insulin and insulin-like growth factor I (IGF I) in early mouse embryogenesis	491	alternative promoters control the germ-line expression of monocistronic and bicistronic gene transcripts	613
Kaster, W. H., Watson, C. A.		Aller E Tidde C and Warmen A	
and Berry, S. J. S. J.		Allen, F., Tickle, C. and Warner, A. The role of gap junctions in patterning of the	
Maternal messenger RNA distribution in silkmoth eggs. I. Clone Ec4B is associated with the cortical		chick limb bud	623
cytoskeleton	497	Clark, P., Connolly, P., Curtis, A. S. G.,	
Robert, J., Wolff, J., Jijakli, H., Graf, JD.,		Dow, J. A. T. and Wilkinson, C. D. W.	
Karch, F. and Kobel, H. R.		Topographical control of cell behaviour: II. Multiple grooved substrata	635
Developmental expression of the creatine kinase		Processing Section 2019	000
isozyme system of Xenopus: maternally derived CK-IV isoform persists far beyond the		Akhurst, R. J., Lehnert, S. A., Faissner, A.	
degradation of its maternal mRNA and into the		and Duffie, E.	
zygotic expression period	507	TGF beta in murine morphogenetic processes: the early embryo and cardiogenesis	645
Colello, R. J. and Guillery, R. W.		the early emoryo and eardingeneous	010
The early development of retinal ganglion cells		Onda, H., Goldhamer, D. J. and Tassava, R. A.	
with uncrossed axons in the mouse: retinal		An extracellular matrix molecule of newt and	
position and axonal course	515	axolotl regenerating limb blastemas and embryonic limb buds: immunological relationship	
ESSAY IN DEVELOPMENT		of MT1 antigen with tenascin	657
Whitaker, M. and Patel, R.	525		
Calcium and cell cycle control	525	Harvey, R. P.	
CONTRIBUTED PAPERS		The <i>Xenopus MyoD</i> gene: an unlocalized maternal mRNA predates lineage-restricted	
Couly, G. and Le Douarin, N. M.		expression in the early embryo	669
Head morphogenesis in embryonic avian chimeras: evidence for a segmental pattern in the			
ectoderm corresponding to the neuromeres	543	Levi, G., Broders, F., Dunon, D.,	
Nishida, H.		Edelman, G. M. and Thiery, J. P. Thyroxine-dependent modulations of the	
Determinative mechanisms in secondary muscle		expression of the neural cell adhesion molecule	
lineages of ascidian embryos: development of		N-CAM during Xenopus laevis metamorphosis	681
muscle-specific features in isolated muscle			
progenitor cells	559	Hallböök, F., Ayer-LeLièvre, C., Ebendal, T. and Persson, H.	
Warga, R. M. and Kimmel, C. B.		Expression of nerve growth factor receptor	
Cell movements during epiboly and gastrulation	7.00	mRNA during early development of the chicken	
in zebrafish	569	embryo: emphasis on cranial ganglia	693
Kimmel, C. B., Warga, R. M. and Schilling, T. F.		Vacinuma H Shiga T Hamma S	
Origin and organization of the zebrafish fate map	581	Yaginuma, H., Shiga, T., Homma, S., Ishihara, R. and Oppenheim, R. W.	
Ruiz i Altaba, A.		Identification of early developing axon projections	
Neural expression of the Xenopus homeobox		from spinal interneurons in the chick embryo with	
gene Xhox3: evidence for a patterning neural	595	a neuron specific β -tubulin antibody: evidence for a new 'pioneer' pathway in the spinal cord	705
Signal that sureaux intollon the echonerm	191	A HEW DRIBEL DALIWAY III HIE SHIIM CHILL	152.3

Contents

Schwarz, M., Harbers, K. and Kratochwill, K. Transcription of a mutant collagen I gene is a cell type and stage-specific marker for odontoblast		to the EMBL Data Library: information for authors	727
and osteoblast differentiation	717	Index of Authors and Titles	735
The EMBL Data Library How to submit nucleotide sequence data		Subject Index	739

